

Supplied in packages of five 0.5-gram ampuls and also in individual 5-gram ampuls



Varicose ulcers
Decubital ulcers
Extensively denuded surfaces
Intractable burns

... respond in an amazingly short time when treated with wet dressings of . . .

BUFFERED CYSTEINE HYDROCHLORIDE SQUIBB

CYSTEINE HYDROCHLORIDE (not to be confused with cystine) stimulates granulation and epithelial proliferation—a property shared by many compounds which contain the $-SH$ or sulphhydryl radical.

Because unbuffered solutions of cysteine hydrochloride are quite unstable and too acid, hence too irritating unless properly neutralized, the Squibb Laboratories have made available Cysteine Hydrochloride *buffered* with sodium borate so that when used in proper dilution (*i.e.*, 0.5 per cent.) it yields a solution of about pH 4.0.

Buffered Cysteine Hydrochloride Squibb is indicated for treatment of varicose ulcers, traumatic ulcers, post-


operative wounds, suppurated carbuncles, decubital and trophic ulcers. It may be applied to extensively denuded surfaces upon which skin grafting has been unsuccessful and to thicken the thin delicate skin which otherwise forms over denuded surfaces. It should *not* be used (or should be used with caution) in suspiciously malignant ulcerations or in various forms of X-ray dermatitis.

In addition to its stimulative action on the healing process, Buffered Cysteine Hydrochloride inhibits bacterial growth and diminishes drainage.

For full information write to Professional Service Department, 745 Fifth Avenue, New York City.

E·R·SQUIBB & SONS, NEW YORK
MANUFACTURING CHEMISTS TO THE MEDICAL PROFESSION SINCE 1853

POMEROY SURGICAL APPLIANCES...*please*



The Physician

- because they attain the desired result.

The Patient

- because of the comfort inherent in their correct design and adjustment.

POMEROY

16 EAST 42ND STREET

Brooklyn

Springfield

Bronx

Boston

NEW YORK, N. Y.

Newark

Detroit

Wilkes-Barre



Spectacular drainage **OF EXCESS FLUID**

IN cardiovascular disease Salyrgan, used intramuscularly or intravenously, fulfills the double purpose of draining the tissues and stimulating the renal function. One writer has termed it "the most spectacular of diuretics." The action of Salyrgan is exceedingly rapid, and the volume eliminated is often remarkable.

Salyrgan is usually well tolerated. A considerable number of cases are reported in which it has been administered for two, three or five years.

Salyrgan solution (containing 10% of Salyrgan) is supplied in ampules of 1 cc. (boxes of 5 and 100 ampules) and 2 cc. (boxes of 10 and 100 ampules).

S A L Y R G A N

Reg. U. S. Pat. Off. & Canada

Brand of MERSALYL

(Mercury salicylallylamide-o-acetate of sodium)

Detailed literature on request

WINTHROP CHEMICAL COMPANY, INC., New York

Pharmaceuticals of merit for the physician

Factories: RENSSELAER, N. Y.—WINDSOR, ONT.

Successor to H. A. METZ LABORATORIES, INC.

The New York Polyclinic Medical School and Hospital

(ORGANIZED 1881)

(The Pioneer Post-Graduate Medical Institution in America)

We Announce
POST-GRADUATE INSTRUCTION
Comprising
**MEDICINE, SURGERY AND
ALLIED SPECIALTIES**

FOR INFORMATION ADDRESS

Medical Executive Officer, 345 West 50th Street
NEW YORK CITY

we send famous feet to . . .
"see physician"



Many prominent persons wear Pediforme Shoes on advice of physician . . . sometimes after we have suggested consultation with him. Naturally we would not jeopardize either famous feet or other feet by less precaution. Twenty years of "sticking to our last," and sending doctors' work to doctors, explains the confidence placed in us . . . and in our Special Infants' Shoes, Invertor-Adductor, Club Foot, Semi-Corrective, Special and Regular Orthopedic Shoes. Descriptions sent, or—

At your convenience Representative will call
for demonstration—telephone charge reversed

New York, 36 W. 36th St.; Brooklyn,
322 Livingston St. and 838 Flatbush
Ave.; Fordham, 2474 Morris Ave.; New
Rochelle, 545 North Ave.; East Orange,
29 Washington Place.

Pediforme **S H O E S**

NURSES REGISTRIES

*Equipped to Provide Professional
Nursing Service to the Community*

The *physicians* in the *community* and their *patients* form our community. We ask your co-operation in meeting the community needs for nursing service. Bring all your nursing problems to us.

<i>Name of Registry</i>	<i>Registrar's Name</i>	<i>Telephone</i>
Bellevue Alumnae Registry 426 East 26 Street	Alice Benedict, R.N.	LExington 2-0753
Bellevue Male Nurses Registry 42 West 67 Street		ENdicott 2-9420
Lenox Hill Hospital Registry 111 East 76 Street	Rose Schneider, R.N.	BUtterfield 8-5500 - 1379
New York Hospital Nurses Club 317 West 45 Street	Alice Himes, R.N.	LOngacre 5-3160
New York Post Graduate Nurses Registry 108 East 82 Street	Mary J. Carmody, R.N.	RHinelander 4-3347
Nursing Bureau of Manhattan and Bronx (Agency) 149 East 40 Street	Alice E. Snyder, R.N.	AShland 4-3563
Registry of the Mt. Sinai Hospital School of Nursing Fifth Avenue and 100 Street	Mae Daly	ATwater 9-1956
Roosevelt Hospital Registry 428 West 59 Street	Edwarda Crandall, R.N.	COlumbus 5-2340
St. Luke's Central Registry 446 West 20 Street	Eva G. E. Nesbitt, R.N.	WATkins 9-8127


The above list of registries is ready to provide professional nursing service to any *physician* or *hospital* in good standing in the community

This advertisement is sponsored by
The New York Counties Registered Nurses Association

Announcing

PHOS-CAL

REG. U. S. PAT. OFF.



A Natural, Highly Concentrated Preparation of Calcium and Phosphorus Derived From Pasteurized Milk. It is prepared in cooperation with and approved by The Committee on Milk Minerals, Rutgers University, College of Pharmacy. The Committee assays each batch of Phos-Cal for composition and uniformity.

2 teaspoonfuls or 3 tablets of Phos-Cal are equal to the calcium-phosphorus fraction of one quart of milk.

Thousands of physicians have already approved of this pleasant, tasty method of supplying the natural protein, Ca-P fraction of milk.

INDICATIONS

In mineral depletion of pregnancy . . . in convalescence . . . tetany . . . malnutrition . . . as an aid in prevention of caries in children . . . and wherever Ca-P deficiencies exist.



With the co-operation of the Committee on Milk Minerals, Rutgers University, College of Pharmacy, an authentic text work has been compiled from the literature on "Diseases Arising from Calcium and Phosphorus Deficiency and Their Treatment with the Minerals of Milk." Write for a copy of this, together with further information on Phos-Cal.

Mc KESSON & ROBBINS

INCORPORATED

NEW YORK

BRIDGEPORT

MONTREAL

NEW A. C. M. I. Flexible Cystoscopic Forceps MINIATURE



A mark of Distinction
for over a quarter
of a century

The use of flexible operating forceps formerly available has, because of their relatively large size (12 Fr.), been confined to the operating channel of the cystoscopic instruments for which they were designed. Because of this limitation it was often necessary to change instruments, which prolonged the period of instrumentation. Recognition of these facts led to the development of the New Miniature Flexible Cystoscopic Forceps.

These forceps are only 7 Fr. calibre which allows them to be passed through the catheter channels of the average catheterizing cystoscopes. In construction they are similar to the standard A.C.M.I. forceps with the major exception that only one jaw is movable. Many improvements, including stainless steel jaws that have been given a dull or satin finish to prevent disturbing reflexes.

These forceps are provided in four different types:

Flexible Scissor Forceps	No. 382	\$14.00
Flexible Double-Edged Scissor Forceps.....	No. 383	14.00
Flexible Foreign Body Forceps.....	No. 384	14.00
Flexible Rougeur Forceps	No. 385	14.00

Illustrated Literature on Request

AMERICAN CYSTOSCOPE MAKERS, INC.

(Established 1900 by Reinhold H. Wappler)

FREDERICK C. WAPPLER, President

450 WHITLOCK AVENUE

NEW YORK, U.S.A.

FRIDAY AFTERNOON LECTURES

Held at 4:30 o'clock, February, 1935

THE NEW YORK ACADEMY OF MEDICINE

February 1: Carditis in children

—Lucy Porter Sutton, Assistant Professor of Pediatrics,
University and Bellevue Hospital Medical College

February 8: Recent advances in cardiology

—H. M. Marvin, Associate Clinical Professor of Medicine,
Yale University School of Medicine

February 15: Tumors of the breast

—Arthur M. Wright, Professor of Surgery, University and
Bellevue Hospital Medical College

The Charles B. Towns Hospital

invites the cooperation of

*the members of the Academy of Medicine in any Alcoholic
or Narcotic problems they may have. They would find,
in view of our long experience in this special work, we
would be able to render them the best possible service.*

293 CENTRAL PARK WEST, NEW YORK

Between 89th and 90th Streets

SChuyler 4-0770

PLURIGLANDULAR THERAPY
in
EXHAUSTIVE STATES, HYPOVIRILITY
and **SENILITY**
with

ANTISENIUM - PENDE

I. T. R.
(Intramuscular)

•

FORMULA: Each ampoule contains:

	G-cc.	
Pituitary Extract	0.1	(1½ grs.)
Thyroid Extract	0.01	(1/6 gr.)
Testicular Extract	0.20	(3 grs.)
Ovarian Extract	0.20	(3 grs.)
Suprarenal Extract	0.10	(1½ grs.)
Lecithin ex ovo.....	0.05	(3/4 gr.)
Physiological serum	q.s.	

•

Supplied in boxes of ten 2 cc ampoules.

•

AMERICAN DISTRIBUTORS
ITALIAN DRUGS IMPORTING CO., INC.

226 LAFAYETTE STREET NEW YORK CITY

Telephone CAnal 6-2638

CARBONATED ALKALINE WATER



Not a Laxative

UNIFORM STRENGTH
PURITY

**Kalak Water Co.
of N.Y. Inc.**

6 Church St. New York

MAGER & GOUGELMAN, Inc.

FOUNDED 1851

510 MADISON AVE., S.W. corner 53rd Street

NEW YORK CITY

Specialists in the manufacturing and fitting of

Artificial Eyes

Large selections on request. Prompt attention. Oculists are cordially invited to watch us at work in our laboratories.

Write for our color chart and order blanks.

230 BOYLSTON STREET BOSTON, MASS.
1930 CHESTNUT STREET PHILADELPHIA, PA.
1426 G STREET, N. W. WASHINGTON, D. C.

CHARITABLE INSTITUTIONS SUPPLIED AT LOWEST RATES

PRE-EMINENT • LOESER'S INTRAVENOUS SOLUTIONS •

In every field of endeavor one individual or his product stands out above all others for reasons of quality and reliability.

This pre-eminence of Loeser's intravenous solutions has been established by years of experience.

LOESER LABORATORY

(New York Intravenous Laboratory)

22 WEST 26th STREET

NEW YORK, N. Y.

Producing ethical solutions for the medical profession exclusively.


SOLUBLE

IN COLD WATER

SOLUBLE

IN COLD WATER

SOLUBLE
IN COLD WATER



For the treatment of ANGINA
PECTORIS and other PAIN-
FUL HEART CONDITIONS.

AMINOPHYLLIN (Dubin) is *easily* soluble in as little as three parts of water at 25° C. It is rapidly absorbed, thereby producing the prompt therapeutic effect of its high theophyllin content.

AN AMERICAN MADE QUALITY PRODUCT

Finding Favor Solely on Its Merits

TABLETS • SUPPOSITORIES • AMPOULES

MADE IN U. S. A. BY

H. E. DUBIN LABORATORIES, INC.


202 East 44 Street, New York, N. Y.

DUBIN AMINOPHYLLIN

THEOPHYLLINE-ÉTHYLENEDIAMINE

In calcium deficiency diseases

Calciphos



THE calcium salt of inositol hexa-phosphate naturally occurring in grain, concentrated and balanced to favor effective calcium assimilation.

DOSE: 2 tablets (6 grains each)
three times a day

Boxes: of 180 tablets
and 3 oz. powder

Literature and Samples upon request

BILHUBER-KNOLL CORP.

154 Ogden Avenue

JERSEY CITY, N. J.

EACH DAY BRINGS NEW EVIDENCE FOR

CORAMINE, "Ciba"



**LIQUID
AMPULES**

Clinical records show that in circulatory or respiratory depression occurring in infectious diseases—acute and chronic cardiac affections, accidents from anesthesia, poisoning, etc.—Coramine, "Ciba" is dependable and prompt in action. It is effective in cases requiring prolonged treatment as well as in emergencies.



CIBA COMPANY, INC., New York, N. Y.

IMPORTANT NEWS

ABOUT

VITAMIN B

VITAMIN B IS HELD ESSENTIAL TO DIET

**Dr. Cowgill of Yale Says
Deficient Ratio Causes
Chronic Ill Health
and Beriberi.**

NEW HAVEN, Conn., Dec. 3. — Dr. George R. Cowgill, Associate Professor of Physiological Chemistry at Yale University, disclosed today the ratios of Vitamin B necessary in the diet to maintain health.

Professor Cowgill's findings, considered to be the first revelations concerning the routine consumption requirements of vitamins, were announced after intensive research and study of the problem. The main findings indicated first, that a small deficiency of Vitamin B causes chronic ill health and second, men need more Vitamin B than women.

The Yale University Press will publish Dr. Cowgill's monograph tomorrow for the Yale Institute of Human Relations.

The most important variable factors which determine the need of Vitamin B in the diet are, according to Dr. Cowgill, body weight and metabolism. The Yale

VITAMIN B CONCENTRATE AND THE IMPORTANCE OF YEAST IN THE DIET / / /

was announced from the Yale laboratories in 1919 by Drs. Osborne, Mendel and Wakeman.

They said at that time: "Vitamine-B is nature's stimulant of metabolism."

Prof. Lafayette B. Mendel said (A.M.A., 7-9-32): . . . that chronic vitamin deficiency produces numerous vague, borderline states of ill health which often puzzle the physician and disable the patient."

BREWERS'
YEAST POWDER
(HARRIS)

YEAST
VITAMINE
(HARRIS)
TABLETS

are ideally adapted for just such
borderline purposes.

PREPARED BY

THE HARRIS LABORATORIES, INC., TUCKAHOE, N. Y.

ENLIGHTENED SELF-INTEREST

prompts many physicians to specify MEAD PRODUCTS.* First, because they are good reliable products, skilfully made for their specialized uses. Second, because Mead Johnson & Company believe in and faithfully practise the principles that redound to the medical profession's own interest, for example: (1) Mead products are never advertised nor radio-broadcast to the laity, (2) Mead Products carry no dosage directions on or in packages, (3)

Mead Johnson & Company supply no circulars to druggists to be handed to patients, (4) Mead Johnson & Company do not hire space in drug store windows for displaying Mead Products to the public, (5) Mead Johnson & Company do not circularize new mothers via birth lists, (6) Mead Johnson & Company refer all inquiries for medical information from the public to the family physician.

It is interesting to note that a fair average of the length of time an infant

*When more physicians specify MEAD'S,
more babies will be fed by medical men.*

receives Dextri-Maltose is five months: That these five months are the most critical of the baby's life: That the difference in cost to the mother between Dextri-Maltose and the very cheapest carbohydrate at most is only \$6 for this

entire period—a few cents a day: That, in the end, it costs the mother less

to employ regular medical attendance for her baby than to attempt to do her own feeding, which in numerous cases leads to a seriously sick baby eventually requiring the most costly medical attendance.

•

MEAD JOHNSON & COMPANY EVANSVILLE, INDIANA, U. S. A.

*Dextri-Maltose Nos. 1, 2 and 3. Dextri-Maltose with Vitamin B. Mead's Viosterol in Oil. Mead's Viosterol in Halibut Liver Oil (liquid and capsules). Mead's Cod Liver Oil with Viosterol. Mead's Brewers Yeast (tablets and powder). Casec. Recolac. Sobee. Mead's Standardized Cod Liver Oil. Mead's Halibut Liver Oil. Mead's Cereal. Pablum. Mead's Powdered Whole Milk. Alacta. Mead's Powdered Lactic Acid Milk Nos. 1 and 2. Mead's Powdered Protein Milk.